

ARCH CAPE SANITARY DISTRICT

RESOLUTION 18-02 SD

A RESOLUTION REVISING SYSTEM DEVELOPMENT CHARGES (SDC) / EQUIVALENT DWELLING UNIT (EDU) FEES FOR THE ARCH CAPE SANITARY DISTRICT (the "District")

Whereas, the District adopted Ordinance 98-1 SD establishing a System Development Charge methodology and rates; and

Whereas, Section 4B of the ordinance provides for adoption of SDC rates by resolution; and

Whereas, it is felt prudent to update those charges to more properly reflect changes through investment in District infrastructure and current cost indices; and

Whereas, it is determined that one SDC is equal to one EDU; and

Whereas, the District allows for the annual adjustment of fees in accordance with the Engineering News-Record Construction Cost Index (ENR CCI); and


Whereas, the ENR CCI used in Resolution 17-03SD was 10,678 and the March 2018 ENR CCI to be applied for the purposes of this Resolution is 10,959 (Index Ratio=10,959/10,678=1.026);

NOW, THEREFORE, be it resolved the ARCH CAPE SANITARY DISTRICT System Development and Connection Charge herein established become effective May 1, 2018.

<u>3/4 inch meter</u>		<u>1 inch meter</u>	
Improvement Fee	\$ 90	Improvement Fee:	\$ 226
Reimbursement Fee	\$8,004	Reimbursement Fee:	\$20,011
Administrative Fee	\$ 81	Administration Fee:	\$ 202
Total SDC/EDU Charge	\$8,175	Total SDC/EDU Charge:	\$20,439

Adopted and signed this 20<sup>th</sup> day of April 2018.

Attest                       
*Suffice*

  
Ron Schiffman, President