

ARCH CAPE SANITARY DISTRICT

RESOLUTION 17-03 SD

A RESOLUTION REVISING SYSTEM DEVELOPMENT CHARGES (SDC) / EQUIVALENT DWELLING UNIT (EDU) FEES FOR THE ARCH CAPE SANITARY DISTRICT (the "District")

Whereas, the District adopted Ordinance 98-1 SD establishing a System Development Charge methodology and rates; and

Whereas, Section 4B of the ordinance provides for adoption of SDC rates by resolution; and

Whereas, it is felt prudent to update those charges to more properly reflect changes through investment in District infrastructure and current cost indices; and

Whereas, it is determined that one SDC is equal to one EDU; and

Whereas, the District allows for the annual adjustment of fees in accordance with the Engineering News-Record (ENR) Construction Cost Index (Seattle); and


Whereas, the Engineering News-Record (ENR) Construction Cost Index (Seattle) used in Resolution 16-04WD was 10,181 and the April 2017 Seattle ENR Index to be applied for the purposes of this Resolution is 10,678 (Index Ratio=10,678/10,181=1.049);

NOW, THEREFORE, be it resolved the ARCH CAPE SANITARY DISTRICT System Development and Connection Charge herein established become effective July 1, 2017.

<u>3/4 inch meter</u>		<u>1 inch meter</u>	
Improvement Fee	\$ 88	Improvement Fee:	\$220
Reimbursement Fee	\$7,801	Reimbursement Fee:	\$19,504
Administrative Fee	\$ 79	Administration Fee:	\$197
Total SDC/EDU Charge	\$7,968	Total SDC/EDU Charge:	\$19,921

Adopted and signed this 16th day of June 2017.

Attest Sybil


Darr Tindall, President